

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
7 February 2002 (07.02.2002)

PCT

(10) International Publication Number  
**WO 02/11019 A1**

(51) International Patent Classification<sup>7</sup>: **G06F 17/60**,  
1/12, G06K 7/10

(21) International Application Number: PCT/US01/23030

(22) International Filing Date: 23 July 2001 (23.07.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
09/630,595 1 August 2000 (01.08.2000) US

(71) Applicant: **FIRST USA BANK, N.A.** [US/US]; Three  
Christina Centre, 201 North Walnut Street, Wilmington,  
DE 19801 (US).

(72) Inventors: **RAU, Scott, W.**; 60 Hershey Drive, Pottstown,  
PA 19465 (US). **BERTETTI, Scott, Philip**; 1303 N. Ban-  
croft Parkway, Wilmington, DE 19806 (US). **BEECHUM,**  
**Gerald, A., Jr.**; 1130 S. Michigan Avenue, #2510,  
Chicago, IL 60605 (US).

(74) Agents: **SCOTT, Thomas, J., Jr.** et al.; Hunton &  
Williams, 1900 K Street, N.W., Washington, DC 20006  
(US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,  
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,  
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,  
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,  
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,  
TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.


(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian  
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European  
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,  
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,  
CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD,  
TG).

**Published:**

- with international search report
- before the expiration of the time limit for amending the  
claims and to be republished in the event of receipt of  
amendments

For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.

(54) Title: SYSTEM AND METHOD FOR TRANSPONDER-ENABLED ACCOUNT TRANSACTIONS



(57) Abstract: A transponder-initiated transaction system with an account transponder (102). The account transponder (102) may be embedded within a watch, a key chain or other personal article. The transponder communicates account information to a radio-frequency (RF) enabled point of sale device (POS) terminal allowing transactions with accessing a remote data processing facility. Partial or complete account information may be stored local or remote sites. New account (e.g. credit accounts, debits accounts, cash accounts, and special purpose vending accounts) are activated via a website in which the user enters a transponder identification number (transponder ID).

WO 02/11019 A1

## **SYSTEM AND METHOD FOR TRANSPONDER-ENABLED ACCOUNT TRANSACTIONS**

### **FIELD OF THE INVENTION**

The invention relates to the field of electronic commerce, and more particularly to the use of transponder-activated account transactions at point of sale or other locations.

### **BACKGROUND OF THE INVENTION**

The use of electromagnetically-coupled transducers for commercial transaction processing has become increasingly popular in recent times. The advent of compact, inexpensive electronics, transponder-equipped point of sale equipment, and attendant information processing assets have enabled a variety of vendors to offer account-linked transaction systems. Those systems include, for example, subway or other transportation devices, telephone calling devices, and others such as the SpeedPass™ offered by Mobil Corp. for gasoline point of sale transactions. In that and other systems, a receiver emits electromagnetic signals to a device in proximity to a gasoline pump over radio frequencies (RF), activating an embedded transponder within the transaction device. The transaction device is identified by some sort of identification information, which information is then relayed from the point of sale to an offsite information processing facility. However, these types of distributed systems suffer from more than one disadvantage.

For one, transactions made according to that technology require that separate offsite computing facilities be accessed, since the transponder is encoded with information identifying the transponder but not the account information necessary to complete the transaction. Processing times and time to completion of transactions are therefore increased, and the expense of linking and maintaining information processing facilities to service the point of sale request is significant. Moreover, the initiation of new accounts to use such wireless vending points requires backend processing facilities to enter a new user's account to the remote data processing facility, as well as to encode and associate the transponder with particular new accounts. More streamlined, convenient and flexible transaction technology is desirable.

### **SUMMARY OF THE INVENTION**

The invention overcoming these and other drawbacks in the art relates to a system and method for transponder-activated transactions, generally involving the presentation and sensing of an electromagnetically coupled transponder to an RF-enabled point of sale system. In the practice of the invention, the transponder may be preferably encoded with not merely identifying or serializing information, but also account information which may be used to authorize or record transactions at the instant of sale, so that remote data processing may not be necessary. Users of the transponder of the invention may link the device to more than one type of account, and activate the transponder using Web or other network-enabled interfaces.

### **BRIEF DESCRIPTION OF THE DRAWINGS**

The invention will be described with reference to the accompanying drawings, in which like elements are referenced by like numerals.

Fig. 1 illustrates an overall transaction architecture according to one embodiment of the invention.

Fig. 2 illustrates an overall architecture of the invention according to a second embodiment of the invention.

Fig. 3 illustrates an activation architecture for the initiation of user accounts according to the invention.

Fig. 4 illustrates a flowchart of transaction processing according to the invention.

### **DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS**

As illustrated in Fig. 1, in a first embodiment of the invention, an overall point of sale architecture includes a transponder 102 which communicates via an RF link 104 to a receiver 106. The transponder 102 may be or include any of several known electromagnetically coupled devices, generally activated by proximity to an RF-enabled receiving unit, such as receiver 106. Transponder 102 may, for instance, contain an electromagnetic coil antenna for inductive coupling to receiver 106, thereby being energized with small but sufficient electric current to activate embedded electronics within transponder 102. Those electronics may include memory such as CMOS memory, logic gates, filters for isolating discrete transmission frequencies and other elements known in the art. In one embodiment, transponder 102 may be programmable and able to

receive updated programmable instructions via RF link 104, as well as to have electronic memory erased or updated during transactions. Receiver 106 may include an electromagnetic antenna to couple with transponder 102, generally within the range of a few feet of the device.

5 In the embodiment illustrated in Fig. 1, the receiver 106 is connected to a point of sale (POS) device 108 for conducting a commercial or other transaction. For instance, the point of sale device 108 may be or include any of several commercially known electronic cash registers or related transaction processing equipment, such as point of sale terminals manufactured by Sharp Corp. or others. In one embodiment of the invention, transponder  
10 102 may be embedded within a personal article for convenience, aesthetic and affinity purposes. In that regard, the invention has been integrated in one implementation within a fully functional watch manufactured by the Swatch Corporation. Embedding in other personal articles, such as key chains, pagers, clothing or other items is also possible.

In the operation of the invention, a user who has subscribed to the account system  
15 of the invention may approach the receiver 106 at the point of sale device 108 to initiate and complete a purchase or other transaction, such as at a restaurant or grocery market checkout line, or other points of sale. In the embodiment illustrated in Fig. 1, transponder 102 contains an encoded transponder ID 110, which may for instance be a 5-digit number or other identifying information. In this embodiment, transponder 102 may also store an  
20 account table 112 directly recording account information for the subscribed user of the transponder 102. The account table 112 may be or include, for instance, an indication of an account number, balance, limit and other information for a debit account, a cash account, a credit card account, special premises account for internal use such as by employees, or other account information associated with users of the system.

25 In the implementation of this embodiment of the invention, receiver 106 is configured to receive the account table 112 and apply an amount being executed at the point of sale device 108 to the account reflected within the account table 112. For instance, a patron who has subscribed to an account according to the system of the invention may approach receiver 106 in a restaurant line and wave a watch or other article  
30 containing transponder 102 in proximity of the receiver 106. When transponder 102 comes within range of receiver 106, transponder 102 may be inductively coupled to the coils of an electromagnetic antenna within receiver 106 inducing electrical energy within

transponder 102, to establish the RF link 104 with the receiver 106. Upon activation of transponder 102 and radiation of transponder ID 110 to the receiver 106, the receiver 106 may respond with an acknowledge signal to the transponder 102. The point of sale device 108 may indicate on a display screen or otherwise that a transaction is ready to be  
5 commenced. Once the point of sale device 108 generates total amount due for the transaction, the receiver 106 may interrogate transponder 102 to obtain account table information from account table 112 for application to the sale.

For instance, if a patron has purchased a meal in a restaurant line at point of sale device 108, the total purchase price may be validated against available credit, available  
10 cash or other account-specified balances within account table 112 for completion of the transaction. Conversely, if the amount of the transaction cannot be validated against account table 112, the point of sale device 108 may indicate "cash required" or another message that transponder validation or authorization has failed. If the transaction amount is validated, receiver 106 enters the transaction amount, recalculates an account balance  
15 for storage within account table 112 and transmits the revised account table 112 information over the RF link 104 to the transponder 102. A transaction completion signal may be emitted by receiver 106, which in one embodiment may turn off or decouple the transponder 102 via RF link 104.

Among other advantages, because the receiver 106 and other transaction elements  
20 do not need to resort to offsite transaction processing, conduct of the transaction from initiation through approval and completion are completed quickly, often virtually instantaneously to a subscriber at the point of sale. It may be noted that receiver 106 and point of sale device 108 may be configured to execute a variety of other types of transactions, such as retail checkouts of books, movies or other media, and other  
25 transaction events.

In terms of new accounts registration as illustrated in Fig. 3, in the invention a network-based activation architecture may be advantageously employed. As shown in the figure, a new user may access a client work station 118 connected via communications link 120 to a registration server 122. The communications link 120 may be, include or  
30 access any one or more of, for instance, the Internet, an intranet, a PAN (Personal Area Network), a LAN (Local Area Network), a WAN (Wide Area Network) or a MAN (Metropolitan Area Network), a frame relay connection, an Advanced Intelligent Network

(AIN) connection, a synchronous optical network (SONET) connection, a digital T1, T3 or E1 line, Digital Data Service (DDS) connection, DSL (Digital Subscriber Line) connection, an Ethernet connection, an ISDN (Integrated Services Digital Network) line, a dial-up port such as a V.90, V.34 or V.34bis analog modem connection, a cable modem, 5 an ATM (Asynchronous Transfer Mode) connection, or FDDN (Fiber Distributed Data Networks) or CDDI (Copper Distributed Data Interface) connections.

Communications link 120 may furthermore be, include or access any one or more of a WAP (Wireless Application Protocol) link, a GPRS (General Packet Radio Service) link, a GSM (Global System for Mobile Communication) link, a CDMA (Code Division 10 Multiple Access) or TDMA (Time Division Multiple Access) link such as a cellular phone channel, a GPS (Global Positioning System) link, CDPD (cellular digital packet data), a RIM (Research in Motion, Limited) duplex paging type device, a Bluetooth radio link, or an IEEE 802.11-based radio frequency link. Communications link 120 may yet further be, include or access any one or more of an RS-232 serial connection, an IEEE- 15 1394 (Firewire) connection, an IrDA (infrared) port, a SCSI (Small Computer Serial Interface) connection, a USB (Universal Serial Bus) connection or other wired or wireless, digital or analog interface or connection.

The registration server 122 may be or include, for instance, a workstation running the Microsoft Windows™ NT™, Windows™ 2000, Unix, Linux, Xenix, IBM AIX, 20 Hewlett-Packard UX, Novell Netware™, sun Microsystems Solaris™, OS/2™, BeOS™, Mach, Apache, OpenStep™ or other operating system or platform.

The registration server 122 may communicate with client workstation 118 to receive preassigned information related to transponder 102, such as transponder ID 110 which may be printed by sticker on a watch or other article housing the device, for entry 25 into a database 126 within registration server 122 and the setting up of an account. The account may illustratively include or be more than one type of account 124a ... 124n, such as cash accounts, debit accounts, credit card accounts, special purpose vending accounts, telephone card accounts, or others. The registration server 122 may validate the transponder ID 110, and interrogate a new subscriber at client work station 118 to identify 30 or select which one or more of accounts 124a ... 124n the user wishes to associate with the transponder 102.

For instance, the registration 122 may accept a preexisting credit card number for registration with the transponder 102 and execution of future transactions. Once new account information is established, the registration server 122 may communicate via network connection to receiver 106 to update subscriber registration tables within the database 126, receiver 106, point of sale device 108 or other associated hardware to authorize transactions at the point of sale. The paperwork, delay, possibility for error and other drawbacks of paper-based back end account registration is thereby avoided.

A second illustrative embodiment of the invention is shown in Fig. 2, generally involving a processing architecture similar to that of Fig. 1. In this embodiment, a transponder 102 again communicates via RF link 104 with receiver 106 to effectuate point of sale or other transactions. However, in the embodiment of Fig. 2 a portion or all of account table 112 or other information stored in transponder 102 in the first embodiment may be offloaded to economize on the necessary electronics, power consumption and other properties of transponder 102. In the embodiment illustrated in Fig. 2, the point of sale device 108 is additionally connected to a transaction server 116 via communications link 114, for the purpose of authorizing in whole or in part transactions presented for payment using transponder 102. Communications link 114 may be, include or access communications resources similar to communications link 120.

In this embodiment, part or all of the information of account table 112 may be stored in hard disk or other storage of transaction server 116. Transaction initiation begins in the same manner as the embodiment illustrated in Fig. 1, however, after acknowledgments are exchanged between point of sale device 108 and transponder 102 and a transaction is set up, the point of sale device 108 may communicate with transaction server 116 to validate a transaction amount or other information against account information stored in the transaction server 116.

While this implementation involves additional hardware and communications link 114, if transaction server 116 is co-located with the point of sale device 108, such as in a restaurant or retail outlet, communication delays may be minimal. Furthermore if the transaction server 116 is dedicated to processing transactions only at the site of point of sale device 108 or closely grouped facilities, processing burdens may be comparatively modest. In another embodiment of the invention, transaction server 116 may communicate with remote credit file databases or other information resources before

authorizing or completing a transaction initiated over RF link 104 at receiver 106, when circumstances may permit some execution delay to be acceptable. Alternatively, in another embodiment of the invention the point of sale device 108 may perform a preliminary authorization for transactions presented at the receiver 106, to collect and temporarily store transactions, for instance over 2 or 3 hour periods, for batch processing remotely via transaction server 116. Since the majority of transactions typically reconcile without difficulty, this implementation permits more-immediate completion while still checking on account validations at frequent intervals.

Overall transaction processing is illustrated in the flowchart of Fig. 4. In step 202, processing begins. In step 204, the receiver 106 is presented with transponder 102 within range of electromagnetic coupling, such as inductive coupling. In step 206, transponder 102 is activated, for instance by inductive energization of its circuitry. In step 208 transponder 102 may communicate transponder ID 110, which the receiver 106 acknowledges with an acknowledge signal over RF link 104 in step 210.

In step 212, transaction information such as purchase amount is entered at point of sale device 108, for instance by a check out clerk or other attendant. In step 214, transaction table 112 or other account information may be interrogated to determine whether account balances or other account parameters permit the pending transaction at the point of sale device 108. If the transaction is not validated, in step 216 a "cash required" or other message is signaled at point of sale device 108, and processing proceeds to step 224 where processing ends.

If the account to be applied to the pending transaction is validated at step 214, in step 218, the point of sale device 108 and receiver 106 communicate with transponder 102 to indicate transaction acceptance, and modify information within account table 112 if appropriate. In step 220, an end of transaction signal is sent to transponder 102 and in step 222, transponder 102 decouples from the receiver 106. In step 224, processing ends.

The foregoing description of the system and method for transponder-activated transactions is illustrative, and variations in configuration and implementation will occur to persons skilled in the art. For instance, while transponder 102 has been described as electromagnetically coupling with the receiver 106, or other types of detection and coupling could be used. For instance, an infrared device, a biometrically enabled or other device may be presented to corresponding detecting apparatus at the point of sale.

Similarly, transponder 102 may contain or store other types or forms of information other than transponder ID 110 and account table 112. The scope of the invention is accordingly intended to be limited only by the following claims.

CLAIMS

What is claimed is:

1. A system for transponder-enabled transactions, comprising:  
a wireless interface to a transponder, the wireless interface for coupling to the  
5 transponder at a point of sale; and  
a transaction interface, communicating with the wireless interface, the transaction  
interface operative to communicate with at least one network-enabled transaction device  
to permit the execution of a transaction at the point of sale.
2. The system of claim 1, wherein the wireless interface comprises at least  
10 one of an RF interface and an infrared interface.
3. The system of claim 1, wherein the transaction interface comprises a  
connection to a point of sale device.
4. The system of claim 3, wherein the point of sale device comprises an  
electronic sale register.
- 15 5. The system of claim 1, wherein the transponder stores account information  
which is accessible to execute the transaction.
6. The system of claim 5, wherein the account information comprises at least  
one of transponder ID information, account number information, account type  
information, account balance information, and account limit information.
- 20 7. The system of claim 1, wherein the transponder is embedded in a personal  
article.
8. The system of claim 1, further comprising a data interface to a data  
processing facility, the data processing facility communicating with the transaction device  
to execute the transaction.
- 25 9. The system of claim 1, further comprising a network registration interface,  
the network registration interface permitting an account subscriber to register the  
transponder with an account.
10. The system of claim 1, wherein the transaction interface is operable to  
communicate with a transaction server to execute the transaction.
- 30 11. A method of transponder-enabled transactions, comprising:  
a) coupling to a transponder at a point of sale via a wireless interface; and

-10-

b) communicating with at least one network-enabled transaction device via a transaction interface to permit the execution of a transaction at the point of sale.

12. The method of claim 11, wherein the wireless interface comprises at least one of an RF interface and an infrared interface.

5 13. The method of claim 11, wherein the transaction interface comprises a connection to a point of sale device.

14. The method of claim 13, wherein the point of sale device comprises an electronic sale register.

10 15. The method of claim 11, further comprising a step of c) storing account information which is accessible to execute the transaction in the transponder.

16. The method of claim 15, wherein the account information comprises at least one of transponder ID information, account number information, account type information, account balance information, and account limit information.

15 17. The method of claim 11, wherein the transponder is embedded in a personal article.

18. The method of claim 11, further comprising communicating with a the data processing facility to execute the transaction.

20 19. The method of claim 11, further comprising a step of e) permitting an account subscriber to register the transponder with an account via a network registration interface.

20. The method of claim 11, wherein the transaction interface is operable to communicate with a transaction server to execute the transaction.




FIG. 1




FIG. 2




FIG. 3




FIG. 4

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/US01/23030

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : G06F 1760, 1/12; G06K 7/10  
US CL : 705/16, 21; 235/472.02; 902/22

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)  
U.S. : 705/16, 21; 235/472.02; 902/22

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5,859,779 A (GIORDANO et al) 12 January 1999, see entire document.	1-20
A	US 6,003,008 A (POSTREL et al) 14 December 1999, see entire document.	1-20
A	US 5,923,735 A (SWARTZ et al) 13 July 1999, see entire document.	1-20
A	US 6,014,133 A (YAMAKADO et al) 11 January 2000, see entire document.	1-20
A	US 5,889,268 A (SWARTZ) 30 March 1999, see entire document.	1-20
A	US 5,253,345 A (FERNANDES et al) 12 October 1993, see entire document.	1-20
A	US 5,107,100 A (SHEPARD et al) 21 April 1992, see entire document.	1-20
A	US 4,722,054 A (YOROZU et al) 26 January 1988, see entire document.	1-20

☐ Further documents are listed in the continuation of Box C.

☐ See patent family annex.

\* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T"

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X"

document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y"

document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&"

document member of the same patent family

Date of the actual completion of the international search

24 October 2001 (24.10.2001)

Date of mailing of the international search report

05 DEC 2001

Name and mailing address of the ISA/US

Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703)305-3230

Authorized officer

Olszewski Robert

Telephone No. (703) 306-5484

*James R. Matthews*